



SERIES

→ SP-715V


TRAILER-MOUNTED SPEED SIGN

Ver-Mac's SP-715V PRO Series is a battery/solar-powered trailer-mounted speed sign, with 3-digit display. It features our Stealth Technology, V-Touch SP controller, JamLogic® Fleet Management Software and state-of-the-art doppler radar. Our speed sign is designed to display real-time speed information to the motoring public, reducing speeds and providing a safer environment. The SP-715V PRO Series is perfect to provide speed awareness to highway construction projects, school zones and urban areas.





MUTCD COMPLIANT



V-TOUCH SP CONTROLLER

HANDHELD

Grab the controller into the sign case to safely change the speed parameters from the side of the trailer

EASY-TO-READ

 $3.75\,\text{in}$ (95 mm) pressure-sensitive black and white display screen with intuitive interface

INTUITIVE ICONS

Quickly select speed parameters and blink option

BACKLIGHTED SCREEN

Perfect for nighttime use

REAL-TIME DISPLAY

View speed display, battery voltage level and other key elements

STEALTH MODE

No speed is displayed, but data is collected*

OPTIONAL WARNING DEVICES

Easy to integrate flashing beacons, strobe lights, red and blue flashing bar and audible alarm

*Requires data logger option

STEALTH TECHNOLOGY

CLEVERLY HIDDEN BATTERY COMPARTMENT

Deter thieves from stealing batteries

LONG-LASTING SEALED BATTERIES

No maintenance required

DOPPLER RADAR

- Picks up average speed and vehicle count at up to 2000 ft
- Up to 2 lanes / directional
- No calibration necessary
- Integrated into the sign

JAMLOGIC® FLEET MANAGEMENT SOFTWARE (OPTIONAL)

Equip the SP-715V PRO Series with a high speed modem with GPS to monitor and collect data with JamLogic automation. All the data is stored in the JamLogic software. Run your own reports monthly, weekly, daily or custom plus export them to excel. JamLogic allows you to have all the traffic data at your fingertips.

STATISTICS (OPTIONAL)

This option allows you to collect average speed and number of vehicles approaching (directional). The data can be downloaded via a USB key at the trailer or remotely through JamLogic (modem option required).

APPLICATIONS

- · Law enforcement
- Speed awareness
- Smart work zones
- Traffic studies

POWER SUPPLY CONFIGURATION

OPTI POWER LENS

Designed to maximize each LED output and utilize less energy.

SOLAR PANEL

Provides maximum solar recharging during all four seasons.

 The standard battery/solar configuration is designed to run 12 months in most regions without manual charging

HIGH-QUALITY CONSTRUCTION

POWDER COATING SUPERIOR FINISH

Impact, humidity, salt spray and rust resistant

4 ADJUSTABLE STABILIZER LEGS

For stabilization and easy transportation

TONGUE WHEEL JACK

For easy and safe trailer set up

REMOVABLE TONGUE

Saves space for storage

RUGGED ROD MAST BRAKE

Safely rotate the speed sign to working position (up to 90 degrees)

MANUAL LIFT MECHANISM

For quick deployment

HEAVY-DUTY PLASTIC FENDERS

For durability and easy replacement

2-IN. (51 MM) COUPLER OR 3-IN. (76 MM) PINTLE EYE

For easy towing

DISPLAY

- Speed display sign: 35 x 52 in. (886 x 1314 mm)
- Display: 3 digits (km/h)
- 18 in characters—visible up to 305 m (1000 ft)
- Can accomodate 36 x 48 in. and 30 x 24 in. static signs - not included
- Bottom of static sign 7' above roadway
- 4 LEDs per pixel
- Plug & play display modules for simplified maintenance

WARRANTY

- 1 year on complete trailer
- 2 years on electronic components manufactured by Ver-Mac

DIMENSIONS AND WEIGHTS

- Overall length: 133 in. (3367 mm)
- Overall width: 70.37 in. (1787.52 mm)
- Operating height: 134 in. (3394 mm)
- Travelling height: 106.94 in. (2716.15 mm)
- Weight (approx.): 830 lb (376 kg)

OPTIONS

- Battery charger
- Modem with GPS
- Data plan (requires modem)
- Statistics

Other options are available to meet your needs





